

CONSUMER CONFIDENCE REPORT

Industry Public Utilities is committed to keeping you informed on the quality of your drinking water. This report is provided to you annually and it includes information on where your drinking water comes from, the constituents found in your drinking water and how the water quality compares with the regulatory standards. We are proud to report that during 2018, the drinking water provided by Industry Public Utilities met or surpassed all Federal and State drinking water standards. We remain dedicated to providing you with a reliable supply of high quality drinking water.

This report contains important information about your drinking water. Translate it or speak with someone who understands it. For more information or questions regarding this report, please contact Mr. Greg Galindo at (626) 336-1307.

Este informe contiene información muy importante sobre su agua potable. Tradúzcalo o hable con alguien que lo entienda bien. Para más información o preguntas con respecto a este informe, póngase en contacto con el Sr. Greg Galindo (626) 336-1307.

此份有關妳的食水報告,內有重要資料和訊息,請找他人為妳翻譯及 解釋清楚。 这份关于您的供水的报告,內有重要资料和信息,请找别人为您翻译

这份关于您的供水的报告,内有重要资料和信息,请找别人为您翻译 和解释清楚。

GOVERNANCE

Regularly scheduled meetings of Industry Public Utilities Commission are held on the second Thursday of each month at 8:30 a.m. at 15651 East Stafford Street, City of Industry. These meetings provide an opportunity for public participation in decisions that may affect the quality of your water.

COMMISSION

CORY C. MOSS, President ABRAHAM N. CRUZ, Commissioner CATHERINE MARCUCCI, Commissioner MARK D. RADECKI, Commissioner NEWELL W. RUGGLES, Commissioner

CONNECT WITH US 🔊


OFFICE HOURS: Monday - Thursday 8 a.m. - 5 p.m. Friday 7 a.m. - 3:30 p.m. PHONE: (626) 336-1307 FAX: (626) 330-2679 AFTER HOURS EMERGENCY SERVICE: (626) 336-1307 E-MAIL: service@lapuentewater.com

WHERE DOES MY DRINKING WATER COME FROM?

WATER SOURCES

Industry Public Utilities water system is operated and managed by the La Puente Valley County Water District. During 2018, Industry Public Utilities' water supply came from San Gabriel Valley Water Company (SGVWC), La Puente Valley County Water District wells and the City of Industry Well No. 5 (all located within the Main San Gabriel Groundwater Basin). This well water is treated and then disinfected with chlorine before it is delivered to your home.

The majority of the water delivered to customers through the water system undergoes a significant treatment process. The treatment systems are designed to treat specific types of contaminants. This entire process is monitored closely and the water is sampled regularly to verify the treatment systems are effective.



WATER TREATMENT PROCESS:

- 1. Granular Activated Carbon Filled (GAC) Vessels remove VOCs to below detection levels.
- 2. A single pass ion exchange system uses resin specially manufactured to remove perchlorate.
- 3. A hydrogen peroxide injection system injects hydrogen peroxide in preparation for the UV reactors.
- 4. UV reactors treat for NDMA and 1, 4-Dioxane.
- 5. Water exiting the facility is chlorinated to provide a disinfectant residual in the water system.
- 6. Treated water then enters the water system and is delivered to your home.

DRINKING WATER SOURCE ASSESSMENT

An assessment of the drinking water sources for SGVWC was updated in October 2008. The assessment concluded that SGVWC's sources are considered most vulnerable to the following activities or facilities associated with contaminants detected in the water supply: leaking underground storage tanks, hardware/lumber/parts stores, hospitals, gasoline stations, and known contaminant plumes. In addition, the sources are considered most vulnerable to the following activities or facilities not associated with contaminants detected in the water supply: above ground storage tanks, spreading basins, storm drain discharge points and transportation corridors. You may request a summary of the assessment by contacting Industry Public Utilities' office at (626) 336-1307.

An assessment of the drinking water sources for La Puente Valley County Water District was completed in March 2008. The assessment concluded that the La Puente Valley County Water District's sources are considered most vulnerable to the following activities or facilities associated with contaminants detected in the water supply: leaking underground storage tanks, known contaminant plumes and high density of housing. In addition, the sources are considered most vulnerable to the following facility not associated with contaminants detected in the water supply: transportation corridors – freeways/state highways. You may request a summary of the assessment by contacting Industry Public Utilities' office at (626) 336-1307

WHAT IS IN MY DRINKING WATER?

Your drinking water is tested by certified professional water system operators and certified laboratories to ensure its safety. The table in this report shows the average and range of

concentrations of the constituents tested in your drinking water during year 2018 or from the most recent tests. The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. The table lists all the contaminants detected in your drinking water that have Federal and State drinking water standards. Detected unregulated contaminants of interest are also included.

PUBLIC SHOULD CONSIDER? Some people may be more vulnerable to contaminants in the general population. Immuno-compromised persons of

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the **Safe Drinking Water Hotline** (1-800-426-4791).

ARE THERE ANY PRECAUTIONS THE

QUESTIONS

For more information or questions regarding this report, please contact Mr. Greg Galindo at (626) 336-1307.

Este informe contiene información muy importante sobre su agua potable. Para más información o preguntas con respecto a este informe, póngase en contacto con el Sr. Greg Galindo. Telefono: (626) 336-1307.

WHAT ARE DRINKING WATER STANDARDS?

In order to ensure that tap water is safe drink, the United States Environmental Protection Agency (USEPA) and DDW prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. DDW regulations also establish limits for contaminants in bottled water that provide the same protection for public health. Drinking water standards established by USEPA and DDW set limits for substances that may affect consumer health or aesthetic qualities of drinking water. The chart in this report shows the following types of water quality standards:

MAXIMUM CONTAMINANT LEVEL (MCL):

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible.

SECONDARY MCLS are set to protect the odor, taste, and appearance of drinking water.

MAXIMUM RESIDUAL DISINFECTANT LEVEL (MRDL):

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

PRIMARY DRINKING WATER STANDARD (PDWS):

MCLs, MRDLs and treatment techniques (TTs) for contaminants that affect health, along with their monitoring and reporting requirements.

REGULATORY ACTION LEVEL (AL):

The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements that a water system must follow.

NOTIFICATION LEVEL (NL):

An advisory level which, if exceeded, requires the drinkingwater system to notify the governing body of the local agency in which users of the drinking water reside (i.e. city council/county board of supervisors). In addition to mandatory water quality standards, USEPA and DDW have set voluntary water quality goals for some contaminants. Water quality goals are often set at such low levels that they are not achievable in practice and are not directly measurable. Nevertheless, these goals provide useful guideposts and direction for water management practices. The chart in this report includes three types of water quality goals:

MAXIMUM CONTAMINANT LEVEL GOAL (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.

MAXIMUM RESIDUAL DISINFECTANT LEVEL GOAL (MRDLG):

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

PUBLIC HEALTH GOAL (PHG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

TREATMENT TECHNIQUE (TT):

A required process intended to reduce the level of a contaminant in drinking water.

NITRATE ADVISORY

At times, nitrate in your tap water may have exceeded half the MCL, but it was never greater than the MCL. The following advisory is issued because in 2018, the District recorded a nitrate measurement in its treated drinking water above half the nitrate MCL. Nitrate in drinking water at levels above 10 milligrams per liter (mg/L) is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 10 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider."

WHAT CONTAMINANTS MAY BE PRESENT IN SOURCES OF DRINKING WATER?

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

CONTAMINANTS THAT MAY BE PRESENT IN SOURCE WATER INCLUDE:

Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife. Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming. Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff and residential uses. Organic chemical contaminants, including synthetic and volatile organic chemicals, that are byproducts of industrial processes and petroleum production, and can also come from gasoline stations, urban stormwater runoff, agricultural application, and septic systems. Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

INFORMATION ON LEAD IN DRINKING WATER

New regulations now require local water agencies to test lead levels by July 1, 2019 at all K-12 schools constructed before 2010. A total of 2 schools within the boundaries of the Industry Public Utilities were sampled and tested for lead in 2018. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Industry Public Utilities is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the **Safe Drinking Water Hotline (1-800-426-4791) or at https://www.epa.gov/lead.**

INDUSTRY PUBLIC UTILITIES YEAR 2018 WATER QUALITY TABLE

CONSTITUENTS	CONSTITUENTS MCI PHG or DLD		TREATE	ED WATER	TYPICAL SOURCE OF CONTAMINANT	
AND (UNITS)	MCL	(MCLG)	DLR	Average [1]	Range (Min-Max)	
		PRIMARY	DRINKING WATE	R STANDARDS—Heal	Ith-Related Standards	
INORGANIC CHEMICALS						
Arsenic (µg/l) Barium (mg/l) Fluoride (mg/l) Nitrate as N (mg/l)	10 1 2 10	0.004 2 1 10	2 0.1 0.1 0.4	2 0.13 0.3 6.8	ND - 2.9 ND - 0.21 0.22 - 0.43 3.2 - 8.7	Erosion of natural deposits Erosion of natural deposits Erosion of natural deposits Leaching from fertilizer uset
RADIOACTIVITY Gross Alpha (pCi/l) Uranium (pCi/l)	15 20	(0) 0.43	3 1	4.1 3.5	ND - 11.8 1.2 - 5.7	Erosion of natural deposits Erosion of natural deposits
	SECOND		KING WATER ST		Standards, Not Health	
Chloride (mg/l) Odor (threshold odor number) Specific Conductance (µmho/cm) Sulfate (mg/l) Total Dissolved Solids (mg/l)	500 3 1,600 500 1,000	NA NA NA NA	NA 1 NA 0.5 NA	30 1 580 50.2 428	16 - 54 1 390 - 770 23 - 83 310 - 560	Runoff/leaching from natural deposits Runoff/leaching from natural deposits Substances that from ions in water Runoff/leaching from natural deposits Runoff/leaching from natural deposits
			OTHER CO	DNSTITUENTS OF INTE	EREST	
Alkalinity (mg/l) Calcium (mg/l) Hardness as CaCO3 (mg/l) Hexavalent Chromium (µg/l) Magnesium (mg/l) pH (unit) Potassium (mg/l) Sodium (mg/l)	NA NA 10 NA NA NA NA	NA NA 0.02 NA NA NA	NA NA NA NA NA NA	187 76 250 4 15 7.9 3.7 19.1	150 - 240 44 - 100 150 - 330 2.4 - 7.1 8.8 - 20 7.6 - 8.0 2.3 - 5 12 - 30	Runoff/leaching from natural deposits Runoff/leaching from natural deposits Runoff/leaching from natural deposits Runoff/leaching from natural deposits Runoff/leaching from natural deposits Hydrogen ion concentration Runoff/leaching from natural deposits Runoff/leaching from natural deposits
		UNRE	GULATED CONS	TITUENTS REQUIRING	MONITORING [4]	
CONSTITUENTS AND (UNITS)	NL		PHG OR (MCLG)	AVERAGE	RANGE (MIN-MAX)	TYPICAL SOURCE OF CONTAMINANT
Chlorate (µg/I) Chlorodifluoromethane (µg/I) Molybdenum (µg/I) Strontium (µg/I) Vanadium (µg/I)	800 NA NA NA 50		NA NA NA NA	220.8 0.07 2.6 581 2.4	ND - 300 ND - 0.14 ND - 2.9 ND - 660 ND - 4.6	Byproduct of drinking water chlorination; industrial proce Refrigerant Runoff/leaching from natural deposits Runoff/leaching from natural deposits Runoff/leaching from natural deposits
			DISTRIBUTI	ION SYSTEM WATER O	UALITY	
CONSTITUENTS AND (UNITS)	MCL OR (MRDL)		MCLG OR (MRDLG)	AVERAGE	RANGE (MIN-MAX)	TYPICAL SOURCE OF CONTAMINANT
Total Coliforms Total Trihalomethanes (µg/l) Haloacetic Acids (µg/l) Chlorine Residual (mg/l) Odor (threshold odor number) [5] Turbidity (NTU) [5]	no more than 1 pos monthly sample 80 60 (4) 3 5		0 NA NA (4) NA NA	0 6.75 ND 1.13 1 <0.1 [3]	0 4.2 - 9.3 ND 1.07 - 1.23 1 ND - 0.62	Naturally present in the environment By-product of drinking water disinfection By-product of drinking water disinfection Drinking water disinfectant added for treatment Naturally occuring organic materials Runoff/leaching from natural deposits
			LEAD AND C	OPPER AT RESIDENTI	AL TAPS	
CONSTITUENTS AND (UNITS)	ACTION LEVE	EL	PHG	90TH PERCENTILE VALUE	SITES EXCEEDING AL/ NUMBER OF SITES	TYPICAL SOURCE OF CONTAMINANT
Lead (µg/I) Copper (mg/I)	15 1.3		0.2 0.3	3.1 0.58	0/23 0/23	Corrosion of household plumbing Corrosion of household plumbing

reporting limit in 17 samples, none of which exceeded the AL. The Industry Public Utilities complies with the Lead and Copper Rule. The next required sampling for lead and copper will be conducted in the summer of 2019.

	SCHOOL LEAD SAMPLING	
	2	Number of Schools Requesting Lead Sampling
	NOTES	
ication Level helometric Turbidity Units oCuries per liter lic Health Goal s per billion or micrograms per liter = micromhos per centimeter	MRDL = Maximum Residual Disinfectant Level MRDLG = Maximum Residual Disinfectant Level Goal NA = No Applicable Limit ND = Not Detected at DLR ng/I = parts per trillion or nanograms per liter	AL = Action Level DLR = Detection Limit for Purposes of Reporting MCL = Maximum Contaminant Level MCLG = Maximum Contaminant Level Goal mg/I = parts per million or milligrams per liter
lic H s pe = m	ND = Not Detected at DLR	MCLG = Maximum Contaminant Level Goal mg/I = parts per million or milligrams per liter [1] The results reported in the table are average concentr.

[2] Constituent does not have a DLR. Constituent was detected but the average result is less than the analytical Method Reporting Limit.
[3] "<" means constituent was detected but the average result is less than the indicated reporting limit or DLR.
[4] Monitoring data provided by San Gabriel Valley Water Company.
[5] This water quality is regulated by a secondary standard to maintain aesthetic characteristics (taste, odor, color).